

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/803,576	03/18/2004	Timofei Nikita Kroupenkine	22-23-6-13-19	5945
7590 06/29/2007			EXAMINER	
Docket Administrator (Room 3J-219) Lucent Technologies Inc.			MAPLES, JOHN S	
101 Crawfords Holmdel, NJ 07	— — — — — — — — — — — — — — — — — — —		ART UNIT	PAPER NUMBER
rioinidei, ris o	733 3030		1745	
	•		MAIL DATE	DELIVERY MODE
			06/29/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summary	10/803,576	KROUPENKINE ET AL.				
Onice Action Summary	Examiner	Art Unit				
	John S. Maples	1745				
The MAILING DATE of this communication Period for Reply	appears on the cover sheet w	rith the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REL WHICHEVER IS LONGER, FROM THE MAILING - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory per - Failure to reply within the set or extended period for reply will, by state that three months after the material patent term adjustment. See 37 CFR 1.704(b).	B DATE OF THIS COMMUN R 1.136(a). In no event, however, may a riod will apply and will expire SIX (6) MO atute, cause the application to become A	ICATION. reply be timely filed NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
	his action is non-final.					
· <u>-</u>	'-					
closed in accordance with the practice unde	•	• •				
Disposition of Claims						
4)⊠ Claim(s) <u>1-8</u> is/are pending in the application	on.	·				
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-4,7 and 8</u> is are rejected.		,				
7)⊠ Claim(s) <u>5 and 6</u> is/are objected to.						
8) Claim(s) are subject to restriction and	d/or election requirement.					
Application Papers						
9)⊠ The specification is objected to by the Exam	niner					
10)⊠ The drawing(s) filed on <u>7 September 2004</u> is		objected to by the Examiner.				
Applicant may not request that any objection to		-				
Replacement drawing sheet(s) including the cor	• • • • • • • • • • • • • • • • • • • •	` '				
11) The oath or declaration is objected to by the						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for fore	ign priority under 35 U.S.C.	§ 119(a)-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:		·				
1. Certified copies of the priority docume						
2. Certified copies of the priority docume						
3. Copies of the certified copies of the p	•	received in this National Stage				
application from the International Bur * See the attached detailed Office action for a		t received				
See the attached detailed Office action for a	ist of the certified copies no	received.				
Attachment(s)						
1) Notice of References Cited (PTO-892)		Summary (PTO-413)				
 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) 		(s)/Mail Date Informal Patent Application				
Paper No(s)/Mail Date	6) Other:	• •				

Application/Control Number: 10/803,576

Art Unit: 1745

1. Figures 1-4 should be designated by a legend such as --Prior Art--because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Page 2

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the altering substance on the surface must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an

Application/Control Number: 10/803,576 Page 3

Art Unit: 1745

application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

- 3. The specification should be amended to include the application serial numbers of the cited applications.
- 4. Claims 5 and 6 are objected to because in claim 5, line 7, "a" should be replaced with –an--. Claim 6, dependent on claim 5, falls therewith.
- 5. A copy of the search report was not received with the June 18, 2004 IDS and a copy of the same is requested.
 - 6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. Claims 1-4 and 7-8 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for a battery and for nanostructures, respectively, does not reasonably provide enablement for any apparatus and any size of battery, respectively. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

The specification does not provide for any other apparatus other than a battery for use with applicant's invention and so claims 1-4 must be limited to such. The same

Art Unit: 1745

is true for claims 7-8 that require amendment to nanostructures because the present specification does not provide for non-nanostructures.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to John S. Maples whose telephone number is 571-272-1287. The examiner can normally be reached on Monday-Thursday, 6:15-3:45, and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on 571-272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JSM/6-25-2007

JOHN S. MAPLES